Subject index

Actinolite 584
activity-composition relations, geobarometry 223f.
–, rhombohedral oxides 650ff.
activity models, amphiboles 213f.
adamellite 382
aegirine-augite 688
aenigmatite 174
albite 39, 87f., 354f., 510f., 584f., 670
–, Al–Si disorder 481ff.
albitic melt, water solubility 155
Al-geobarometers 222
alkali-basalt 722f.
–, Patagonia 294ff.
alkali feldspars, Al–Si interdiffusion 481ff.
–, microporosity 507ff.
alkaline magmatism, Karmøy 289
alkremite 57
allanite 174
almandine 225, 354
Al–Si order, alkali feldspars 481ff.
–, anorthite, calibration 471ff.
alteration, trap basalts 633f.
amesite 354
amphibole 9f., 39, 199, 354f., 573, 708, 722
amphibole/plagioclase geothermometer 217f.
amphiboles, compositional variation 211f.
amphibolite 10
amygdales, trap basalts 634f.
anatase 257
anatexis 165f.
andalusite 200, 333, 354f.
andesite 74f., 100f., 442, 540, 543ff., 700f.
–, Kanaga 568ff.
annite 225
anorthite 197, 225, 354f., 735f.
–, Al–Si order calibration 471ff.
anorthoclase 688
anthophyllite 2
antigorite 2, 530ff.
apatite 126, 174, 517f., 670
appinite 442
arc lavas, Lihir 722ff.
arc volcanism, Akutan 700ff.
–, Andean 305f.
–, Thera 73f.
arfvedsonite 174f.
Ar isotope dating, blueschist phengites 585f.
armalkolite, Cr-bearing 265
ash-flow tuffs, zonation 686
assimilation, Skaergaard 133f.
astrophyllite 174
A-type granite, metasomatism 173ff.
augite 321, 543, 571, 632, 703

Basalt 74f., 101, 540ff., 555ff., 683f., 700ff.
–, geochemistry 631f.
–, –, Maranhão 558ff.
–, petrogenesis 739f.
betafite 670
biotite 197f., 232, 382, 391, 399f., 441, 626, 671, 688, 722
blueschists, Ar dating 582f.
–, retrogression 96
boninite magmatism 286f.
breccia, tectonic 195

Calc-alkaline volcanism, Aleutians 568ff.
calcite 2, 39, 197, 257, 354f., 584
caldera stratigraphy, Tejeda 683f.
carpholite 87f.
cassiterite 516f.
celadonite 225
chalcopyrite 519
charnockite 189
chemical analysis
–, albite 40
–, alkali olivine basalt 443
–, Al-rich pyroxenes, symplectites 267
–, amphibole 40
–, –, Akutan lavas 709
–, amphibole/plagioclase pairs 220
–, andesite, Kanaga 570
–, basalts, Patagonia 296
–, biotite 232
–, –, experim. granite melting 400
–, calcite 40
–, chlorite 40
–, chromite, peridotite xenoliths 265
–, clinopyroxene, Akutan lavas 705
–, –, Etna lavas 600
–, –, granulite/eclogite 186
–, –, granulitic xenoliths 11
–, –, Lihir lavas 726
–, –, mantle xenoliths 60
–, clinopyroxenite, Vermilion 443
–, clinozoisite, eclogite 186
–, cordierite, dendritic 394
–, Cr-armalkolite, peridotite xenoliths 265
–, Cr-diopside, peridotite xenoliths 263
–, diorite, Sanøy 279
–, dolomite 40
–, dykes, Karmøy ophiolites 280
–, enstatite, peridotite xenoliths 261
–, epidote 40
–, gabbro, Feey 279
–, garnet 232
–, –, granulite/eclogite 186
–, –, granulitic xenoliths 11
–, –, mantle xenoliths 58
–, glass, Lihir lavas 725
–, –, silicate 408
–, gneiss, xenoliths 14
–, granite, Davis Lake 518
–, –, peralkaline 176
–, granite porphyry 426
–, granulites, xenoliths in basalts 11, 14
–, hornblendite, Vermilion 443
–, lamproite, Argyle 268
–, lamprophyre, Vermilion 443
–, lavas, Akutan Isl. 709
–, –, Etna 598
–, –, Lau Islds. 544, 550
–, –, Lihir 724
–, –, Runkaus 370
–, leucogranites, Xihuashan 673
–, lizardite, kimberlites 535
–, magma enclaves, granites 48
–, monazites, leucogranite 671
–, muscovite 232
–, –, eclogite 186
–, olivine, Akutan lavas 707
–, –, Etna lavas 600
–, –, Lihir lavas 726
–, –, mantle xenoliths 59, 456
–, –, peridotite xenoliths 260
–, orthopyroxene, Akutan lavas 707
–, –, granulitic xenoliths 11
–, –, mantle xenoliths 61, 457
–, parisite, leucogranite 671
–, peridotite xenoliths 268
–, phlogopite, kimberlites 535
–, plagioclase 232
–, –, Akutan lavas 705
–, –, Etna lavas 599
–, –, granulite 186
–, –, granulitic xenoliths 11
–, –, Lihir lavas 727
–, plutonic rocks, Karmøy 279
–, pyroxene, granite melting 401
–, rutile 40
–, sanukitoids 443
–, scapolite, granulitic xenoliths 11
–, sphene 40
–, spinel, granulitic xenoliths 11
–, –, mantle xenoliths 456
–, talc 40
–, Tejeda lavas 693f.
–, tholeiite 443
–, topaz rhyolite 426
–, trap basalts, Norilsk 637
–, uranothorite, leucogranite 671
childrenite 517f.
chlorite 39, 87f., 197, 354f.
chlorite schist 36
chloritoid 87f., 354f.
chrome diopside 259
chromite 261
chromite–garnet peridotite 255
chrysotile 530ff.
cinder cone, Akutan 701f.
C isotope fractionation, CO_2/Na-melilite melt 492ff.
clinochlore 198, 354f.
clinopyroxene 9, 11, 60, 128, 186, 199, 258f., 572, 600, 706f., 722
clinopyroxenite 442f.
clinozoisite 186, 354f.
coesite 87f.
comendite 101f.
configurational entropy, rhombohedral oxides 647f.
convection, magma chamber 418f.
cooling history, granites 384f.
cordierite 200
–, dendritic 390ff.
CO_2-rich fluids, greenschists 44f.
Cr-armalkolite 265
cratonic basalts 305f.
Cr-titanate 262
crustal contamination, Proterozoic mafic rocks 376

–, trap basalts 640f.
crustal thickening 194
crustal thinning, metamorphism 194ff.
crustal xenoliths, Tertiary volcanics 8ff.
crystal fractionation, experimental, Lihir lavas 722ff.
–, magma evolution 119f.
–, post-emplacement in granite 47ff.
crystal fractionation models, Akutan lavas 716f.
crystal/liquid fractionation, magma enclaves 51
crystallization-deformation relationships, Pyrenean metamorphism 200f.
cumulates, basalts 610f., 615f.

Dacite 74f., 101f., 543f., 579, 700f.
daphnite 354f.
deformation, Pyrenean metamorphism 200
deformation features, phlogopite serpentinization 532f.
dendritic cordierite 390ff.
deuteric alteration, feldspars 507f.
diamonds, peridotite xenoliths 256ff.
dickite 520
differentiation, Skaergaard intrusion 235f., 240f., 244f., 248f., 251f., 253f.
diffusion, garnet zoning 628
–, magma enclaves 47ff.
–, melts 407ff.
diffusion channels, alkali feldspars 507ff.
diffusion mechanism, melts 414
diffusivity, calculation 409
diopside 2, 187, 197, 320, 354f.
diorite 210, 279, 442, 669
disequilibrium, metamorphic trace element partition 619ff.
disordering, albite 481ff.
–, pressure effect 482
dolerite 195
dolomite 2, 39, 197, 354f., 519
dykes, ophiolites 280
–, Skaergaard 245

Eastonite 225, 531
eclogite 571.
eclogite veins 186f.
eclogitization, granulites 184ff.
–, quantitative description 188f.
elpidite 174
enclave magma, granites, chemical variation 47ff.
endogranite 669
enstatite 2, 259
eosphorite 517f.
epidote 39f., 199, 354f., 584
equilibrium, coex. metamorphic minerals 619ff.
Eu anomaly, peralkaline granite 179f.
exchange equilibria, rhombohedral oxides/olivine 655
–, rhombohedral oxides/spinel 657f.
extra-caldera rocks 663f.

F, fluid/melt distribution 424ff.
Fe^{3+}, mantle garnets 56ff.
flood basalts 631ff.
fluid circulation, Trois Seigneurs metasediments 340f.
fluid evolution, tin deposit 519f.
fluid flow, eclogitisation 185ff.
fluid inclusions, alkali feldspars 507f.
–, leucogranites 675
fluid/melt distribution, F 424ff.
fluid migration, metamorphism 35ff.
fluids, F-rich 424ff.
fluorite 174, 516
forsterite 2, 354f., 735f.
foyaite 195
fractional crystallization 281f., 723
–, K-enrichment in basalts 309ff.
–, trap tholeiites 635ff.
fractionation, lamprophyre petrogenesis 445f.
fractionation mechanism, andesite petrogenesis 577f.

Gabbro 129f., 195, 210, 221, 279, 376
garnet 10, 87f., 186, 199, 260, 354f., 585, 671
–, mantle-derived 56ff.
–, Mössbauer data 63
–, trace element zoning 619ff.
garnet harzburgite 57, 255f.
garnet lherzolite 57f., 256f.
garnet websterite 57
garnet wehrlite 255
geikielite 645ff.
geobarometry, calibration 225ff.
–, Fe^{3+} in garnets 68
–, peridotite xenoliths 266f.
geochemical gradients, magma enclaves 50f.
geochemical stratigraphy, basalts 635f.
geochronology, Archean tonalites 348f.
–, Maranhão basalts 561f.
geodynamic modelling 85f.
geothermobarometry, limits for hydrothermal materials 483
geothermometry, amphibole/plagioclase 208ff.
–, Fe^{3+} in garnets 68
–, peridotite xenoliths 266f.
Gibbs free energy of solution, rhombohedral oxides 646f.
glass, CO_2 solubility 497f.
–, water speciation 142ff.
glaucophane 87f., 584
gneiss 10, 129, 348, 440
granite 100f., 333, 424ff., 441, 467
–, experim. melting 397ff.
–, hydrothermal alteration 668ff.
–, peralkaline 174ff.
granites, along-arc variation 381ff.
–, Massif Central 163ff.
granodiorite 382
granophyre 129
granulites, eclogitization 184ff.
–, meta-igneous 10ff.
graphite 391
greenschist facies, mineral equilibria 353ff.
greenschists 35f.
–, Ar dating 582f.
greenstone belt 28f.
greisen 516
–, fluid generation 524ff.
–, granite 669
grossular 225, 354f.

H, effect on Al–Si disorder in albite 482f.
haplogranitic melt, phase relations 397ff.
harzburgite 460
hauyne 722
hawaiite 540
heat production, eclogitization 184ff.
hematite 645ff.
hexagonal cordierite 390ff.
H isotope data, Latir lavas 102f.
hornblende 197, 215, 354, 382, 441f., 549, 703
hornblendite 442
hornfels 390f.
hydrothermal REE fractionation, leucogranites 668ff.
hypersthene 543

Ignimbrites 609f., 615f., 683f.
illite, O isotope geothermometry 483ff.
illite crystallinity 466
ilmenite 128, 174, 382, 391, 645ff.
interdiffusion, Al–Si in alkali feldspars 481ff.
–, dacite/rhyolite 407ff.
interface kinetics, garnet zoning 627f.
intergrowths, serpentines 531ff.
intra-caldera rocks, Tejeda 684f.
iron enrichment, Skaergaard intrusion 235f., 240f., 244f., 248f., 251f., 253f.
island arc, Papua 722f.
island arc volcanism 540ff.
isoactivity curves, Etna lavas 601ff.
isotope geochemistry, Latir lavas 99ff.
isotopic ages, granites, along-arc variation 385ff.
isotopic processes, magma chambers 117f., 125ff.

Jadeite 87f., 187
jadeitic glass, water speciation 142ff.

Kaolinite 466
K–Ar dating, granites 381ff.
kalyphite 257
K-enrichment, basalts 309ff.
K-feldspar 175f., 197, 391
kimberlite 255
–, phlogopite serpentinization 530ff.
kinetics, Al–Si disorder in albite 483f.
–, granite crystallization 401f.
K-montmorillonite 537
komatiites, dating 27ff.
kyanite 87f., 186f.

Lamproite pipe 255f.
lamprophyres 195
–, Archean 439ff.
lavas, Akutan 700ff.
–, Etna 594ff.
–, Hesse 9f.
–, Latir field 99ff.
–, Patagonia 294ff.
–, Tejeda 683ff.
–, Thera 73ff.
lava suites, Norilsk 632ff.

layered intrusions, Sm–Nd data 372f.
leucogranites, hydrothermal fractionation 668ff.
lherzolites 195
limestones 195
liquid-state differentiation, magma enclaves 52
liquidus phase relationships, high-pressure, anorthite-forsterite-quartz 735ff.
lizardite 257, 530ff.

Mafic sills, Proterozoic 369ff.
magma chamber, contamination 418f.
–, diffusion 418f.
–, isotopic zonations 117, 125ff.
–, Thera 82
magma dynamics, Etna 594ff.
magma globules, differentiation model 54
magma mixing, andesite 574
–, Thera lavas 81f.
magma mixing models, Tejeda lavas 589ff.
magmatic REE fractionation, leucogranites 677f.
magnesite, stability 1ff.
magnetite 128, 257, 382, 400f., 655
mangerite 189
mantle, basalt source 562ff.
–, C–H–O fluids 492f.
–, lamprophyre origin 448f.
–, nature beneath lamproite pipes 272
–, oxidation state 56f.
mantle reservoir, Latir lavas 114f.
mantle xenoliths, diamondiferous 255ff.
–, oxidation state 453ff.
marble 195, 583
margarite 197f., 354f.
mcauslanite 517f.
mejonite 11
melting experiments, K-enrichment in basalts 316f.
–, lavas 725ff.
melts, chemical diffusivities 410ff.
–, granitic, O fugacities 398f.
–, water solubility 153f.
metamorphism, Pyrénées 194ff.
–, Trois Seigneurs Massif 332ff.
metasomatism 35ff.
–, A-type granite 173ff.
–, magma enclaves 47ff.
microcline 510
microporosity, perthites 507ff.
mineral equilibria, greenschist facies 353ff.
mineral facies, definition 95
miscibility gap, ilmenite/hematite 654f.
Mn zoning, garnets 623f.
monazites 169
–, hydrothermal alteration 668f.
monchiquite 195
montmorillonite 257, 537
monzogranite 516f.
Mössbauer data, mantle garnets 63f.
–, xenolithic spinels 455f.
muscovite 186, 197f., 225, 519, 670

Nd isotope data, Karmøy ophiolites 284f.
–, Latir lavas 109
–, Lau lavas 546f.
–, Patagonian basalts 302
Nd–Sr isotope data, lower crustal xenoliths 609f., 615f.
Nomarski contrast interferometry, zoned plagioclases 74f.
norite 10

O fugacities, mantle xenoliths 69f.
–, spinel lherzolites 454ff.
O isotope data, Latir lavas 102f.
–, Patagonian basalts 302
O isotope fractionation, single-grain thermometry 463ff.
olivine 56f., 78, 126f., 259, 309, 456, 543, 573, 600, 636, 670, 707, 722
–, solution parameter 655f.
omphacite 584
ophicarbonate 3
ophidolomite 36
ophiolites, Karmøy 277ff.
ophites 195
order-disorder, ilmenite/hematite 652f.
orthoclase 320
orthopyroxene 9, 11, 56, 400, 457, 572, 700f.
oxidation state, mantle 56f., 69
–, mantle xenoliths 453ff.
oxybarometer 460

Paragonite 87f., 187
parisite 670
partial melting 116f., 173f., 407
–, Lau lavas 548f.
–, peraluminous granite origin 163f.
–, Skaergaard layered series 238
–, trap tholeiites 635ff.
Pb isotopes, Akutan lavas 715
–, Patagonian basalts 302
–, Proterozoic mafic lavas 371
peraluminous granites, origin 163ff.
periclase 2
peridotite melting, effect of pressure and K content 325f.
peridotite xenoliths 255ff.
perthites, deuteric alteration 507ff.
phengites, blueschists, Ar dating 582ff.
phenocrysts, Akutan lavas 703ff.
–, Etna lavas 594ff.
–, Lihir lavas 722f.
–, Thera lavas 73ff.
phlogopite 197f., 225, 257
–, phenocrysts, kimberlites, serpentinization 530ff.
phosphophyllite 517f.
picrite 129, 637
pigeonite 128, 332, 543
plagioclase 9, 12, 126f., 175f., 186f., 197, 215, 309, 391, 519, 543, 572, 598f., 632, 669f., 704, 722
–, zoning 73ff.
plagiogranite 279
plateau lavas, Patagonia 294ff.
plate tectonics, Japan 387
–, Karmøy 289f.
prehnite 354f.
pyrite 645
pyrophanite 645
pyrophyllite 354f.

Quartz 2, 67f., 175, 186, 197, 225, 320, 354f., 391, 466, 519, 584, 669f., 735f.
quartzite 370
quartz latite 100

Rayleigh fractionation, garnets 623f.
Rb–Sr dating, granites 381ff.
–, greisen and vein minerals, Kemptville 521f.
–, Latir lavas 106f.
–, peraluminous granites 166f.
–, Skaergaard 129f.
–, Trois Seigneurs Massif 336f.
REE, peralkaline granite 178
REE modelling, granites 668ff.
REE zoning, garnets 6
rhodochrosite 519
rhombohedral oxides, thermodynamics 645ff.
rhyolites 100, 239, 543, 579
–, F abundance 435
rhyolitic glass, water speciation 142ff.
rhyolitic melt, diffusion 413f.
–, water solubility 154f.
rifting 369
rutile 39

Sandstone 197
sannaite 195
sanukitoids 442
sapphirine, igneous 740f.
scapolite 11, 198
sector-zoning 620
serpentine 257
–, kimberlites 530ff.
serpentine melange, fluid migration 35ff.
serpentinite 36f.
serpophites 531
shear zones, eclogitization 185f.
siderite 519
siderophyllite 225
sillimanite 11, 200, 333
single-grain Ar laser probe, dating technique 582ff.
single-mineral thermometry 463ff.
smectite 466
Sm–Nd data, lamprophyres 447
–, Latir field 110f.
–, peraluminous granites 166f.
–, Proterozoic mafic sills 373f.
–, Skaergaard 129f.
Sm–Nd dating, greenstone belt 27ff.
solid solutions, hematite-ilmenite-geikielite, thermodynamics 645ff.
spessartite 441
sphalerite 519
sphene 39
spinel 9, 11
–, mantle xenoliths, Fe^{3+}/Fe^{2+} 454f.
spinel lherzolites 458f.
spinel peridotite 255
spinifex-textured basalt 28
Sr isotopes, Akutan lavas 715
–, Lau lavas 546f.
–, Patagonian basalts 302
staurolite, sector-zoned 620
stilbite 519
subduction, magma generation 277ff.
subduction-related volcanoes 701f.

subduction zones, Papua 723
syenite 508
symplectites 91., 186, 262
systems, $CaO-FeO-MgO-Al_2O_3-SiO_2-CO_2-H_2O$ 353ff.
–, $CaO-MgO-SiO_2-CO_2-H_2O$, phase relations 1ff.
–, $Na_2O-FeO-MgO-Al_2O_3-SiO_2-H_2O$ 85ff.

Talc 2, 39, 87f., 197f., 257, 354f.
thermodynamics, geobarometry 227ff.
–, greenschist facies 353ff.
–, high-pressure rocks 85ff.
–, rhombohedral oxides 645ff.
tholeiite basalts 634f.
Ti-magnetite 572, 703
titanite, U–Pb isotopes 374
tonalite 210
topaz 516f.
topaz rhyolites 424ff.
tourmaline 391
trace elements, Akutan lavas 711f.
–, andesites 570f.
–, lamprophyres 444f.
–, Lau lavas 544f.
–, leucogranites 673f.
–, microgranite enclaves in granite 48f.
–, ophiolites 281f.
–, Patagonian basalts 298f.
–, peralkaline granite 177
–, peridotite xenoliths 268
–, Proterozoic mafic sills 371f.
–, Skaergaard intrusion 129
trace element zoning, garnets 619ff.
trachybasalt 597f.
trachyte 687f.
transitional basalts 305f.
transition state theory, diffusivity 416f.
trap basalts, geochemistry 631ff.
tremolite 2, 197, 354
triplite 517f.
tuffite 370
tuffs, zonation 687f.
turbidites 370
turbidity, feldspars 507ff.
twinning, cordierite 390f.

Ulvöspinel 655f.
uraninite 670

U-thorite 670

Vibrational energies, rhombohedral oxides 648f.
viscosity/diffusivity relation, melts 415
vivianite 517f.
volcanism, Fiji 540ff.
–, Thera 73ff.

Water speciation, silicate glasses 142ff.
wehrlite 376
wollastonite 2, 354f.

Xenoliths, basalts 8ff.
–, Fe^{3+}-garnets 57f.
–, lower crust, Nd–Sr data 609f., 615f.
xenotime 670

Yttrofluorite 670
yttroparisite 670

Zeolites, basalt 633
zircon 174, 670
–, ion-microprobe age dating 348f.
zoning, plagioclase 75ff., 573

List of locations

Adamello Massif, Alps 210
Aegean Islds., Greece 73, 583
Akutan Isl., Aléutians 701
Argyle Pipe, W. Australia 256

Barberton, South Africa 28
Bergen Arc, Norway 185
Bocca Nuova, Etna 596

Davis Lake, Nova Scotia 517
Duey, Karmøy 278

Etna, Sicily 594

Feøy, Karmøy 278
Fiji Islds., SW Pacific 541

Gharib, Egypt 174
Goias, Brazil 556
Gran Canaria, Spain 682
Guéret, Massif Central 164

Habichtswald, Hesse 9
Helganes, Karmøy 278
Hiroshima, San-yo 386
Hobenzan, San-yo 386
Hoogenoeg Fm., Barberton 29

Jouttisaapa, Finland 370

Kameni Islds., Thera 74
Kanaga, Aléutians 569
Kangerdlugssuaq, Greenland 126
Karmøy, Norway 278
Katafaga, Lau Islds. 541
Kemptville, Nova Scotia 517
Khatanga, Siberia 632
Kurashiki, San-yo 386
Kwoiek Area, Brit. Columbia 619

La Breña, Mexico 616
Laguna Blanca, Patagonia 295
Lakeba, Lau Islds. 541
Laksodden, Karmøy 278
Latir Field, N. Mexico 100
Lau Islds., Fiji 541
Leuggern, Switzerland 468
Lihir Islds., Papua 723
Lone Gull, NWT/Canada 466

Mago, Lau Islds. 541
Maranhão, Brazil 556
Millevaches, Massif Central 164

Naitauba, Lau Islds. 541
Nayau, Lau Islds. 541
New Ireland, Pacific 723
Nishisonogi, Japan 36
Norilsk, Siberia 632
Nubian Shield, Egypt 174

Okayama, San-yo 386
Oneata, Lau Islds. 541
Otani, San-yo 386

Pali-Aike, Patagonia 295
Patagonia, Argentina 295
Perâpohja Belt, Finland 370
Piauí, Brazil 556
Pyrénées 194

Questa Caldera, Latir Field 100

Runkaus, Perâpohja Belt 370
Ryoke Zone, SW Japan 382

Saint Sylvestre, Massif Central 164
Salvezines, Pyrénées 196
Sandapruit Fm., Barberton 29
Sangre de Cristo Mts., N. Mexico 100
San-in Zone, SW Japan 382
Saney, Karmøy 278
Santo Domingo, Mexico 616
San-yo Zone, SW Japan 382
Shodo-Shima, San-yo 386
Sifnos, Greece 583
Skaergaard, East Greenland 126

Tabar-Feni Islds., Papua 723
Taimyr Pena., Siberia 632
Talnakh, Norilsk Region 633
Tejeda Caldera, Gran Canaria 682
Thera, Greece 73
Therasia, Thera 74
Tojottamanselkä, Lapland 348
Toki, San-yo 386, 391
Tonga-Kermadec Trench, Pacific 541
Trois Seigneurs Massif, Pyrénées 334

Val Fredda, Adamello 210
Vanua Balavu, Lau Islds. 541
Vermilion Distr., Minnesota 440
Visnes, Karmøy 278
Vogelsberg, Hesse 9

Xihuashan, China 669

Yacata, Lau Islds. 541